


36 UNI-COLORS

**RECYCLED PET-FELT**




PINBOARD



ACOUSTICS



RECYCLING




NF 09-001 \*  
Snow White




NF 09-002  
Porcelain White



NF 09-003  
Sand Brown



NF 09-014  
Cloudy Blue



NF 09-030  
Messy Blue



NF 09-008 \*  
Smokey Grey



NF 09-028 \*  
Misty Grey



NF 09-029  
Blurry Grey



NF 09-007  
Foggy Grey



NF 09-012 \*  
Smokey Dark Grey




NF 09-005  
Cappuccino Brown



NF 09-004  
Latte brown



NF 09-006  
Coffee Brown



NF 09-023  
Bright Orange




NF 09-022  
Sunny Yellow



NF 09-032  
Light Turquoise



NF 09-033  
Turquoise



NF 09-034  
Ocean Green



NF 09-019  
Deep Green



NF 09-025  
Blood Red






NF 09-024  
Sea Blue



NF 09-031  
Ocean Blue



NF 09-015  
Jeans Blue



NF 09-016  
Evening Blue




NF 09-017  
Dark Blue



NF 09-009 \*  
Grey



NF 09-010  
Dark Grey



NF 09-013  
Midnight Black



NF 09-011  
Brown/Grey



NF 09-027  
Taupe Brown



NF 09-036  
Peach Yellow




NF 09-035  
Messy Yellow



NF 09-021  
Olive Green



NF 09-020  
Emerald Green



NF 09-026  
Wine Red



NF 09-018  
Violet Purple

\* Also available in 24 mm thickness,  
density 3500 gram/square meter.  
Other colors on request.



PINBOARD



ACOUSTICS



RECYCLING

**Specifications:**

Dimensions flat panels without pattern:  
(HxWxD) 2,440 x 1,220 x 9 mm ( +/- 5 mm)

Colors: the panels are fully ingrained in 36 basic colors, other colors on request. Sold per panel or per box of 10 pcs.

Density 1900 gram/square meter, other sizes and densities on request.

Material: 85% (recycled) PET fibers.

Temperature resistance -30 to 120 °C

100% recyclable, environmentally friendly.

**Fire Class:** Flame-retardant B (EN 13501-1)

The panels are resistant to rot, fungus and mites. Contains no chemical components, maximum sound absorption.